



# Parent/Guardian Concussion Awareness Agreement

This form must be completed for every sports season per guidelines set forth by State Statute 118.293.

## PARENT AGREEMENT:

I, \_\_\_\_\_ have read the "Concussion in Youth Sports" Parent Fact Sheet and understand what a concussion is and how it may be caused. I also understand the common signs, symptoms, and behaviors. I agree that my child must be removed from practice/play if a concussion is suspected.

I understand that it is my responsibility to seek medical treatment if a suspected concussion is reported to me.

I understand that my child cannot return to practice/play until providing written clearance from an appropriate health care provider to his/her coach.

I understand the possible consequences of my child returning to practice/play too soon.

\_\_\_\_\_  
Parent/Guardian Signature

\_\_\_\_\_  
Date

Child's Name: \_\_\_\_\_

Sport: \_\_\_\_\_

Y Member

Community Participant

YMCA AT PABST FARMS  
1750 E. Valley Road,  
Oconomowoc, WI 53066

WATERTOWN AREA YMCA  
415 S. Eighth Street,  
Watertown, WI 53094



## HEADS UP CONCUSSION IN YOUTH SPORTS

## A Fact Sheet for PARENTS

### WHAT IS A CONCUSSION?

A concussion is a brain injury. Concussions are caused by a bump or blow to the head. Even a “ding,” “getting your bell rung,” or what seems to be a mild bump or blow to the head can be serious.

You can’t see a concussion. Signs and symptoms of concussion can show up right after the injury or may not appear or be noticed until days or weeks after the injury. If your child reports any symptoms of concussion, or if you notice the symptoms yourself, seek medical attention right away.

### WHAT ARE THE SIGNS AND SYMPTOMS OF A CONCUSSION?

#### Signs Observed by Parents or Guardians

*If your child has experienced a bump or blow to the head during a game or practice, look for any of the following signs and symptoms of a concussion:*

- Appears dazed or stunned
- Is confused about assignment or position
- Forgets an instruction
- Is unsure of game, score, or opponent
- Moves clumsily
- Answers questions slowly
- Loses consciousness (even briefly)
- Shows behavior or personality changes
- Can’t recall events prior to hit or fall
- Can’t recall events after hit or fall

#### Symptoms Reported by Athlete

- Headache or “pressure” in head
- Nausea or vomiting
- Balance problems or dizziness
- Double or blurry vision
- Sensitivity to light
- Sensitivity to noise
- Feeling sluggish, hazy, foggy, or groggy
- Concentration or memory problems
- Confusion
- Does not “feel right”

### HOW CAN YOU HELP YOUR CHILD PREVENT A CONCUSSION?

Every sport is different, but there are steps your children can take to protect themselves from concussion.

- Ensure that they follow their coach’s rules for safety and the rules of the sport.
- Encourage them to practice good sportsmanship at all times.
- Make sure they wear the right protective equipment for their activity (such as helmets, padding, shin guards, and eye and mouth guards). Protective equipment should fit properly, be well maintained, and be worn consistently and correctly.
- Learn the signs and symptoms of a concussion.

### WHAT SHOULD YOU DO IF YOU THINK YOUR CHILD HAS A CONCUSSION?

- 1. Seek medical attention right away.** A health care professional will be able to decide how serious the concussion is and when it is safe for your child to return to sports.
- 2. Keep your child out of play.** Concussions take time to heal. Don’t let your child return to play until a health care professional says it’s OK. Children who return to play too soon—while the brain is still healing—risk a greater chance of having a second concussion. Second or later concussions can be very serious. They can cause permanent brain damage, affecting your child for a lifetime.
- 3. Tell your child’s coach about any recent concussion.** Coaches should know if your child had a recent concussion in ANY sport. Your child’s coach may not know about a concussion your child received in another sport or activity unless you tell the coach.

*It’s better to miss one game than the whole season.*



## ATENCIÓN CONMOCIÓN CEREBRAL EN EL DEPORTE JUVENIL

## Hoja Informativa para los PADRES

### ¿QUÉ ES LA CONMOCIÓN CEREBRAL?

Una conmoción cerebral es una lesión en el cerebro, causada por un golpe en la cabeza o una sacudida. Incluso una pequeña conmoción o lo que parece ser un golpe o sacudida leve puede ser serio.

La conmoción cerebral no puede verse. Los signos y síntomas de una conmoción pueden aparecer inmediatamente después de la lesión o puede que no aparezcan, o se hagan visibles algunos días o meses después de haber sufrido la lesión. Si su hijo tiene los signos de una conmoción cerebral o si usted nota algún síntoma, busque atención médica de inmediato.

### ¿CUÁLES SON LOS SIGNOS Y SÍNTOMAS DE LA CONMOCIÓN CEREBRAL?

#### Signos que notan los padres y los tutores

*Si su hijo ha sufrido un golpe en la cabeza o una sacudida durante un juego o una práctica, obsérvelo para determinar si tiene alguno de los siguientes signos y síntomas de una conmoción cerebral:*

- Luce aturdido o fuera de control
- Se confunde con la actividad asignada
- Olvida las jugadas
- No se muestra seguro del juego, la puntuación ni de sus adversarios
- Se mueve con torpeza
- Responde con lentitud
- Pierde el conocimiento (así sea momentáneamente)
- Muestra cambios de conducta o de personalidad
- No puede recordar lo ocurrido antes de un lanzamiento o un caída
- No puede recordar lo ocurrido después de un lanzamiento o un caída

#### Síntomas que reporta el atleta

- Dolor o "presión" en la cabeza
- Náuseas o vómitos
- Problemas de equilibrio, mareo
- Visión doble o borrosa
- Sensibilidad a la luz y al ruido
- Se siente débil, confuso, aturdido o grogui
- Problemas de concentración o memoria
- Confusión
- No se "siente bien"

### ¿CÓMO AYUDAR A SU HIJO A PREVENIR UNA CONMOCIÓN CEREBRAL?

Aunque todo deporte es diferente, hay medidas que puede tomar para protegerse.

- Haga que siga las reglas impartidas por el entrenador y las reglas del deporte que practica.
- Invítelo a mantener el espíritu deportivo en todo momento.
- Haga que su hijo use el equipo protector adecuado según la actividad que realiza (como casco, almohadillas protectoras, canilleras o protector dental). El equipo de protección debe ajustarse bien, debe hacerse el mantenimiento adecuado, y el jugador debe usarlo correctamente y en todo momento.
- Aprenda a identificar los signos y síntomas de la conmoción.

### ¿QUÉ DEBE HACER SI CREE QUE SU HIJO HA SUFRIDO UNA CONMOCIÓN CEREBRAL?

- 1. Busque atención médica de inmediato.** Un profesional de la salud podrá determinar la seriedad de la conmoción cerebral que ha sufrido el niño y cuándo podrá regresar al juego sin riesgo alguno.
- 2. No permita que su hijo siga jugando.** Las conmociones cerebrales necesitan de un cierto tiempo para curarse. No permita que su hijo regrese al juego hasta que un profesional de la salud le haya dicho que puede hacerlo. Los niños que regresan al juego antes de lo debido - mientras el cerebro está en proceso de curación - corren un mayor riesgo de sufrir otra conmoción. Las conmociones cerebrales siguientes pueden ser muy serias. Pueden causar daño cerebral permanente que afectarán al niño de por vida.
- 3. Informe al entrenador del niño sobre cualquier conmoción cerebral que el niño haya sufrido recientemente.** Los entrenadores deben saber si el niño ha sufrido una conmoción recientemente en CUALQUIER deporte. El entrenador no necesariamente sabrá si el niño ha tenido una conmoción en otro deporte o actividad a menos que usted se lo diga.

**Es preferible perderse un juego que toda la temporada.**