# **SEXSMITH FOOTBALL CLOTHING 2018**



	QTY COLOR								
		DARK GREEN/ WHT							
		BLACK / WHITE							
	PLE/	ASE CHOOSE COLOR							
	QTY	SIZE							
Γ		VOLITII CMALI							
L		YOUTH SMALL							
ŀ		YOUTH SMALL YOUTH MEDIUM							
ŀ									
		YOUTH MEDIUM							

PLE/	PLEASE CHOOSE COLOR							
QTY	SIZE							
	YOUTH SMALL							
	YOUTH MEDIUM							
	YOUTH LARGE							
	YOUTH X-LARGE							
	SMALL							
	MEDIUM							
	LARGE							
	X-LARGE							
	XXLARGE							
	3XLARGE							
	(OPTIONAL \$5EA)							



• •	VILL							
	LADIES XSML							
	LADIES SMALL							
	LADIES MEDIUM							
	LADIES LARGE							
	LADIES X-LARGE							
	LADIES XXLARGE							
	LADIES 3XLARGE							
	SMALL							
	MEDIUM							
	LARGE							
	X-LARGE							
	XXLARGE							
	3XLARGE							
	(OPTIONAL \$5EA)							
_								



INAMEGAIM	<b>'</b>
\$40EA	
	LOGIS MAT.
	VW
	418 2

QTY	SIZE
	YOUTH SMALL
	YOUTH MEDIUM
	YOUTH LARGE
	YOUTH X-LARGE
	SMALL
	MEDIUM
	LARGE
	X-LARGE
	XXLARGE
	3XLARGE

**BLACK ONLY** 

\$50EA QTY YOUTH SMAL YOUTH MEDIUM YOUTH LARGE **SMALL** MEDIUM LARGE X-LARGE XXLARGE **3XLARGE** 



QTY	SIZE
	LADIES XSML
	LADIES SMALL
	LADIES MEDIUM
	LADIES LARGE
	LADIES X-LARGE
	LADIES XXLARGE
	LADIES 3XLARGE

NAME(ARM)

NAMEGARMI

(OPTIONAL \$5EA)

NAME(ARM) (OPTIONAL \$5EA) NAME(ARM)

(OPTIONAL \$5EA)



**BLACK ONLY** NAME(ARM)

QTY	SIZE
	LADIES XSML
	LADIES SMALL
	LADIES MEDIUM
	LADIES LARGE
	LADIES X-LARGE
	LADIES XXLARGE
	LADIES 3XLARGE
	SMALL
	MEDIUM
	LARGE
	X-LARGE
	XXLARGE
	3XLARGE
	(OPTIONAL \$5EA)



NAME(ARM)

LADIES 3XLARGE **BLACK ONLY** 

(OPTIONAL \$5EA)



NAME(ARM)

**BLACK ONLY** (OPTIONAL \$5EA)



**FOOTBALL** 

\$60EA



NAME(UNDER LOGO) (OPTIONAL \$5EA)

\$20EA COLOR LIGHT GREEN BLACK PLEASE CHOOSE COLOR NAME(BACK) (OPTIONAL \$5EA)

TOTAL

GRAND TOTAL

NAME

## **Essential Hooded Soft Shell Jacket**



### J7605

### **Product Features:**

- 14-oz, 92/8 polyester/spandex bonded with 100% polyester micro fleece
- 1000mm/1000g/m<sup>2</sup> waterproof/breathability rating
- Drawcord and toggles at hem

Adult sizes: XS-4XL

### **Icons/Fabric Features:**

















### **Available Colours and PMS Colours**

Textile fabric colours are subject to dye lot variation and will not be exact match to print pantone reference



### J7605 - COAL HARBOUR® Essential Hooded Soft Shell Jacket

GARMENT MEASUREMENTS										
Size	xs	S	М	L	XL	2XL	3XL	4XL		
Chest - Half Measure	20"	21 1/2"	23"	24 1/2"	26"	27 1/2"	29 1/2"	31 1/2"		
Chest - Full Measure	40"	43"	46"	49"	52"	55"	59"	63"		
Body Length from HPS (At front)	27"	28"	29"	30"	31"	32"	32 1/2"	33"		
Sleeve Length-CB	33 3/4"	34 1/2"	35 1/4"	36"	36 3/4"	37 1/2"	38 1/4"	39"		

Finished measurements in inches. Refer to "How to Measure" guide for detailed information on measurement instructions.

ADULT General Sizing Guide									
Size	XS	S	M	L	XL	2XL	3XL	4XL	
Chest	30"-32"	34"-36"	38"-40"	42"-44"	46"-48"	50"-52"	54"-55"	56"-57"	
Waist	26"-29"	29"-32"	32"-35"	35"-38"	38"-41"	41"-44"	44"-47"	47"-50"	
Sleeve Length-CB	31"-32"	32"-33 1/2"	34"-35"	35"-36"	36"-37"	37"-38"	38"-39"	38 1/2"-39"	



### **DECORATING INSTRUCTIONS FOR POLYESTER FABRICS**

Due to the nature of polyester, special care must be taken throughout the decoration process. Here are some tips to effectively decorate our performance products.

- Garment temperature must not exceed 320°F or 160°C. Exceeding this temperature will cause the fabric to shrink, become wavy or cause dye migration.
- Dryer temperature and belt speeds must be changed accordingly for polyester fabric.
- If flashing these garments, do not exceed 1-2 seconds. Anything longer may damage the fabric as stated above.
- Screen Printing: These garments require the use of poly inks that cures at a lower temperature. A Dyno Grey base blocker on all colours and a second white base blocker on all dark colours are recommended. Please consult your ink supplier for more information.
- Polyester requires a longer cooling time than cotton. Avoid overlap of garments and screen-print/heat transfer until the garments are cooled. Failure to cool the fabric prior to stacking into a printer's fold may cause the fabric and applied ink to stick together.
- **Heat Transfers:** Poly mark heat transfers need to be created with an anti-migration layer in the design. This process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- **Sublimation Printing:** As noted for the poly mark heat transfers, this process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- If you heat press these garments, you must adjust the time, temperature and pressure. Failure to do so may damage the fabric as stated above.
- A test sample run is recommended, especially if you have a large order or if your printer does not specialize in printing on performance fabrics.

### **Essential Hooded Soft Shell Ladies' Jacket**



### L7605

### **Product Features:**

- 14-oz, 92/8 polyester/spandex bonded with 100% polyester micro fleece
- 1000mm/1000g/m<sup>2</sup> waterproof/breathability rating
- Drawcord and toggles at hem

Ladies' sizes: XS-4XL

### **Icons/Fabric Features:**

















### **Available Colours and PMS Colours**

Textile fabric colours are subject to dye lot variation and will not be exact match to print pantone reference



### L7605- COAL HARBOUR® Essential Hooded Soft Shell Ladies' Jacket

GARMENT MEASUREMENTS									
Size	xs	S	M	L	XL	2XL	3XL	4XL	
Chest - Half Measure	18 1/2"	19 1/2"	20 1/2"	22"	23 1/2"	25"	27"	29"	
Chest - Full Measure	37"	39"	41"	44"	47"	50"	54"	58"	
Body Length from HPS (At front)	25 1/2"	26"	26 1/2"	27"	27 1/2"	28"	28 1/2"	29"	
Sleeve Length-CB	31 3/4"	32 1/4"	32 3/4"	33 3/8"	34"	34 5/8"	35"	35 3/8"	

Finished measurements in inches. Refer to "How to Measure" guide for detailed information on measurement instructions.

LADIES' General Sizing Guide								
Size	xs	S	M	L	XL	2XL	3XL	4XL
Numeric Size	2	4-6	8-10	12-14	16	18-20	22	24
Bust	32"-34"	35"-36"	37"-38"	39"-41"	42"-44"	45"-47"	48"-51"	52"-55"
Waist	24"-25"	26"-27"	28"-30"	30"-32"	33"-35"	36"-38"	40"-42"	42"-44"
Hip	33"-35"	35"-37"	37"-39"	39"-41"	42"-44"	45"-47"	48"-50"	50"-52"
Sleeve Length-CB	30"-30 1/2"	30 1/2"-31"	31 1/2"-32"	32 1/2"-33"	33 1/2"-34"	34"-34 1/2"	34 1/2"-35"	34 1/2"-35"



#### **DECORATING INSTRUCTIONS FOR POLYESTER FABRICS**

Due to the nature of polyester, special care must be taken throughout the decoration process. Here are some tips to effectively decorate our performance products.

- Garment temperature must not exceed 320°F or 160°C. Exceeding this temperature will cause the fabric to shrink, become wavy or cause dye migration.
- Dryer temperature and belt speeds must be changed accordingly for polyester fabric.
- If flashing these garments, do not exceed 1-2 seconds. Anything longer may damage the fabric as stated above.
- Screen Printing: These garments require the use of poly inks that cures at a lower temperature. A Dyno Grey base blocker on all colours and a second white base blocker on all dark colours are recommended. Please consult your ink supplier for more information.
- Polyester requires a longer cooling time than cotton. Avoid overlap of garments and screen-print/heat transfer until the garments are cooled. Failure to cool the fabric prior to stacking into a printer's fold may cause the fabric and applied ink to stick together.
- Heat Transfers: Poly mark heat transfers need to be created with an anti-migration layer in the design. This process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- **Sublimation Printing:** As noted for the poly mark heat transfers, this process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- If you heat press these garments, you must adjust the time, temperature and pressure. Failure to do so may damage the fabric as stated above.
- A test sample run is recommended, especially if you have a large order or if your printer does not specialize in printing on performance fabrics.

**Thermo Tech Jacket** 



### Available Colours and PMS Colours

Textile fabric colours are subject to dye lot variation and will not be exact match to print pantone reference



### **DF7633**

### **Product Features:**

- Exterior: 7.3-oz, 100% polyester crosshatch
- Fill: 6.6-oz, poly-fill
- Lining: Heat reflective mesh
- 5000mm/5000g/m2 waterproof/breathability rating
- Hidden zippered pockets on right chest and left sleeve
- Reflective trim on sleeves and centre back yoke
- Articulated sleeves
- Internal media cord guide with reflective n
- Extended bill on insulated hood with reflective D
- Internal locker loop
- Detachable carabiner keychain located in the left pocket
- Internal left chest pocket with Velcro® closure
- Zippered hand pockets with brushed tricot lining

Adult sizes: XS-4XL

### **Icons/Fabric Features:**



WARMTH RATING	MILD	WARM	• WARMER	WARMEST		
WATER PROTECTION	WATER R	ESISTANT	WATER	PROOF		
WIND RESISTANT	YES					
FABRIC WATERPROOF RATING	5,000 MM					
FABRIC BREATHABILITY RATING	5,000G/M²					
INNER LINING CONSTRUCTION	HEAT REFLECTIVE MESH					
WATER PROTECTION METHOD	DWR + PL	COATING	SEAM S	SEALED		

### DF7633 - DRYFRAME® Thermo Tech Jacket

GARMENT MEASUREMENTS									
Size	xs	S	M	L	XL	2XL	3XL	4XL	
Chest - Half Measure	21"	22 1/2"	24"	25 1/2"	27"	28 1/2"	30 1/2"	32 1/2"	
Chest - Full Measure	42"	45"	48"	51"	54"	57"	61"	65"	
Body Length from HPS	30"	30 1/2"	31"	31 1/2"	32 1/2"	33 1/2"	34"	34 1/2"	
Sleeve Length-CB	35 1/4"	36"	36 3/4"	37 1/2"	38 1/4"	39"	39 3/4"	40 1/2"	

Finished measurements in inches. Refer to "How to Measure" guide for detailed information on measurement instructions.

ADULT General Sizing Guide										
Size	xs	S	M	L	XL	2XL	3XL	4XL		
Chest	30"-32"	34"-36"	38"-40"	42"-44"	46"-48"	50"-52"	54"-55"	56"-57"		
Waist	26"-29"	29"-32"	32"-35"	35"-38"	38"-41"	41"-44"	44"-47"	47"-50"		
Sleeve Length-CB	31"-32"	32"-33 1/2"	34"-35"	35"-36"	36"-37"	37"-38"	38"-39"	38 1/2"-39"		



### EMBROIDERY INSTRUCTIONS FOR WATERPROOF GARMENTS

Due to the nature of the embroidery process, waterproof garments will be affected. Special care must be taken during the decoration

Here are some tips to effectively decorate these products.

- Use the smallest needle possible to limit the size of the hole in the shell of the garment. Make sure the needle is sharp and changed often to maintain this standard.
- The use of a heat activated waterproof sealing tape or patch on the back of the embroidered area is highly recommended.
- We suggest any brand of heat activated waterproof sealants suggested for outdoor clothing use.

### **DECORATING INSTRUCTIONS FOR POLYESTER FABRICS**

Due to the nature of polyester, special care must be taken throughout the decoration process.

Here are some tips to effectively decorate our performance products.

- Garment temperature must not exceed 320°F or 160°C. Exceeding this temperature will cause the fabric to shrink, become wavy or cause dye migration.
- Dryer temperature and belt speeds must be changed accordingly for polyester fabric.
- If flashing these garments, do not exceed 1-2 seconds. Anything longer may damage the fabric as stated above.
- Screen Printing: These garments require the use of poly inks that cures at a lower temperature. A Dyno Grey base blocker on all colours and a second white base blocker on all dark colours are recommended. Please consult your ink supplier for more information.
- Polyester requires a longer cooling time than cotton. Avoid overlap of garments and screen-print/heat transfer until the garments
  are cooled. Failure to cool the fabric prior to stacking into a printer's fold may cause the fabric and applied ink to stick together.
- Heat Transfers: Poly mark heat transfers need to be created with an anti-migration layer in the design. This process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- Sublimation Printing: As noted for the poly mark heat transfers, this process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- If you heat press these garments, you must adjust the time, temperature and pressure. Failure to do so may damage the fabric as stated above.
- A test sample run is recommended, especially if you have a large order or if your printer does not specialize in printing on performance fabrics.

**Thermo Tech Ladies' Jacket** 



### **Available Colours and PMS Colours**

Textile fabric colours are subject to dye lot variation and will not be exact match to print pantone reference



### **DF7633L**

### **Product Features:**

- Exterior: 7.3-oz, 100% polyester crosshatch
- Fill: 6.6-oz, poly-fill
- Lining: Heat reflective mesh
- 5000mm/5000g/m2 waterproof/breathability rating
- Hidden zippered pocket on left sleeve
- Reflective trim on sleeves, back yoke and back contoured seams
- Reflective RYFRAME on bottom left hem
- Internal media cord guide with reflective D
- Extended bill on insulated hood with reflective **1**
- Internal locker loop
- Detachable carabiner keychain located in the left pocket
- Articulated sleeves
- Internal right chest pocket with Velcro® closure
- Zippered hand pockets with brushed tricot lining

Ladies' sizes: XS-4XL

### **Icons/Fabric Features:**





























WARMTH RATING	MILD	WARM	WARMER	WARMEST			
WATER PROTECTION	WATER R	ESISTANT	WATER	PROOF			
WIND RESISTANT		`	YES				
FABRIC WATERPROOF RATING	5,000 MM						
FABRIC BREATHABILITY RATING	5,000G/M²						
INNER LINING CONSTRUCTION	HEAT REFLECTIVE MESH						
WATER PROTECTION METHOD	DWR + PU	COATING	SEAM SEALED				

### DF7633L - DRYFRAME® Thermo Tech Ladies' Jacket

GARMENT MEASUREMENTS									
Size	xs	S	М	L	XL	2XL	3XL	4XL	
Chest - Half Measure	19 1/2"	20 1/2"	21 1/2"	23"	24 1/2"	26"	28"	30"	
Chest - Full Measure	39"	41"	43"	46"	49"	52"	56"	60"	
Body Length from HPS (At Front)	27"	27 1/2"	28"	29"	30"	31"	31 1/2"	32"	
Body Length from HPS (At Back)	26 1/2"	27"	27 1/2"	28 1/2"	29 1/2"	30 1/2"	31"	31 1/2"	
Sleeve Length-CB	33 1/2"	34"	34 1/2"	35"	35 1/2"	36"	36 1/2"	37"	

Finished measurements in inches. Refer to "How to Measure" guide for detailed information on measurement instructions

LADIES' General Sizing Guide									
Size	XS	S	М	L	XL	2XL	3XL	4XL	
Numeric Size	2	4-6	8-10	12-14	16	18-20	22	24	
Bust	32"-34"	35"-36"	37"-38"	39"-41"	42"-44"	45"-47"	48"-51"	52"-55"	
Waist	24"-25"	26"-27"	28"-30"	30"-32"	33"-35"	36"-38"	40"-42"	42"-44"	
Hip	33"-35"	35"-37"	37"-39"	39"-41"	42"-44"	45"-47"	48"-50"	50"-52"	
Sleeve Length-CB	30"-30 1/2"	30 1/2"-31"	31 1/2"-32"	32 1/2"-33"	33 1/2"-34"	34"-34 1/2"	34 1/2"-35"	34 1/2"-35"	



### **EMBROIDERY INSTRUCTIONS FOR WATERPROOF GARMENTS**

Due to the nature of the embroidery process, waterproof garments will be affected. Special care must be taken during the decoration

Here are some tips to effectively decorate these products.

- Use the smallest needle possible to limit the size of the hole in the shell of the garment. Make sure the needle is sharp and changed often to maintain this standard.
- The use of a heat activated waterproof sealing tape or patch on the back of the embroidered area is highly recommended.
- We suggest any brand of heat activated waterproof sealants suggested for outdoor clothing use.

### **DECORATING INSTRUCTIONS FOR POLYESTER FABRICS**

Due to the nature of polyester, special care must be taken throughout the decoration process.

Here are some tips to effectively decorate our performance products.

- Garment temperature must not exceed 320°F or 160°C. Exceeding this temperature will cause the fabric to shrink, become wavy
  or cause dye migration.
- Dryer temperature and belt speeds must be changed accordingly for polyester fabric.
- If flashing these garments, do not exceed 1-2 seconds. Anything longer may damage the fabric as stated above.
- Screen Printing: These garments require the use of poly inks that cures at a lower temperature. A Dyno Grey base blocker on all colours and a second white base blocker on all dark colours are recommended. Please consult your ink supplier for more information.
- Polyester requires a longer cooling time than cotton. Avoid overlap of garments and screen-print/heat transfer until the garments
  are cooled. Failure to cool the fabric prior to stacking into a printer's fold may cause the fabric and applied ink to stick together.
- Heat Transfers: Poly mark heat transfers need to be created with an anti-migration layer in the design. This process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- Sublimation Printing: As noted for the poly mark heat transfers, this process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- If you heat press these garments, you must adjust the time, temperature and pressure. Failure to do so may damage the fabric as stated above.
- A test sample run is recommended, especially if you have a large order or if your printer does not specialize in printing on performance fabrics.

YOUTH									
SIZE	exx	гх	S	м	L	XL			
	3T-4T	4-5	6-8	10-12	14-16	18-20			
CHEST (Inches)	21-22	22-23	24-26	28-30	31-33	34-36			
WAIST (Inches)	21-22	22-23	22-24	25-27	28-30	31-33			
HIP (Inches)	22-23	23-24	25-27	28-30	31-33	34-36			
Chest (Centimeters)	53-56	56-58	61-66	71-76	79-84	86-91			
WAIST (Centimeters)	53-56	56-58	56-61	64-69	71-76	79-84			
HIP (Centimeters)	56-58	58-61	64-69	71-76	79-84	86-91			

